



**WesBond Corporation
Safety Data Sheet**

Wesbond PS9400W


Revision Date: 03/30/2015	Supersedes: 08/12/2014	First Issued: 01/01/1999
---------------------------	------------------------	--------------------------

Section 1. Product and Company Identification	
1.1 Product Identifier	
Trade Name	Wesbond PS9400W
Product Description and Use	Non-Ionic Wetting Agent, Organic
1.2 Relevant identified uses of the substance and restrictions on use	
Use of the substance	Wetting agent
1.3 Details of the supplier of the safety data sheet	
Company	Wesbond Corporation 1135 East 7 th St Wilmington, DE 19801
Telephone	302-655-7917
Fax	302-656-7885
E-mail address	sales@wesbond.com
Web site	www.wesbond.com
Contact	Wes M Jones
Approved by	Wes M Jones
1.4 Emergency telephone number	
US – CHEMTREC (24 hrs)	800-424-9300
CANADA – CANUTEC (24 hrs)	613-996-6666
MSDS and Product Information (0800 – 1630 EST)	302-655-7917



**WesBond Corporation
Safety Data Sheet**

Wesbond PS9400W

Section 2. Hazard Identification	
2.1 Classification of the substance	
	HCS 2012 (29 CFR 1910.1200) Serious eye damage, Category 1 H318: Causes serious eye damage.
2.2 Label elements	
Signal Word	Danger
Pictogram	
Hazard statements	
H316	Causes mild skin irritation.
H318	Causes serious eye damage.
Precautionary Statements	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents /container in accordance with local/regional/national/international regulations.
2.3 Other hazards	

Section 3. Composition / Information on Ingredients		
3.1 Substance		
Not applicable, this product is a mixture		
3.2 For Mixtures		
Component	CAS Number	Concentration (wt %)
Ethoxylated Isodecyl Alcohol	78330-20-8	~90
Water	7732-18-5	balance
The specific chemical identity and/or exact percentage (concentration) has been withheld as a trade secret.		



**WesBond Corporation
Safety Data Sheet**

Wesbond PS9400W

Section 4. First Aid Measures	
4.1 Description of first aid measures	
General Advice	<ul style="list-style-type: none"> • Show this safety datasheet to the doctor in attendance. • First responder needs to protect herself. • Place affected apparel in a sealed bag for subsequent disposal.
INHALATION	<ul style="list-style-type: none"> • Negligible or unlikely exposure pathway. • Move to fresh air in case of accidental of vapors.
SKIN	<ul style="list-style-type: none"> • In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. • Seek medical advice. • Wash contaminated clothing before re-use.
EYES	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek medical advice.
INGESTION	<ul style="list-style-type: none"> • Do not induce vomiting without medical advice. • If victim is conscious: rinse mouth with water; keep at rest; do not give anything to drink; do not leave the victim unattended. • Vomiting may occur spontaneously; risk of product entering the lungs on vomiting after ingestion; turn victim on side. • Seek medical advice.
4.2 Most important symptoms and effects, both acute and delayed	
Medical Conditions Possibly Aggravated By Exposure	<ul style="list-style-type: none"> • Skin contact may aggravate existing skin disease. • Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis.
4.3 Indication of any immediate medical attention and special treatment needed	
Notes to physician	<ul style="list-style-type: none"> • All treatments should be based on observed signs and symptoms of distress in the patient. • Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. • Treat symptomatically. No specific antidote available.

Section 5. Fire Fighting Measures	
5.1 Extinguishing Media	
Suitable extinguishing media	<ul style="list-style-type: none"> • Water spray • Foam • Carbon Dioxide (CO2) • Multipurpose powders



**WesBond Corporation
Safety Data Sheet**

Wesbond PS9400W

Unsuitable extinguishing media	High volume water jet (frothing possible)
5.2 Special hazards arising from the substance or mixture	
Specific hazards during firefighting/ Specific hazards arising from the chemical	<ul style="list-style-type: none"> Product will burn under fire conditions. Releases carbon oxides upon thermal decomposition (pyrolysis).
5.3 Advice for firefighters	
Special protective equipment for firefighters	Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.
Further information	<ul style="list-style-type: none"> Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Section 6. Accidental Release Measures	
6.1 Personal precautions, protective equipment and emergency procedures	
Personal precautions, protective equipment and emergency procedures	<ul style="list-style-type: none"> Wear appropriate protective gear for the situation. For further information see Personal Protection information in Section 8.
6.2 Environmental precautions	
Environmental and Regulatory Reporting	<ul style="list-style-type: none"> Do not flush to drain. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.
6.3 Methods and materials for containment and cleaning up	
Recovery	<ul style="list-style-type: none"> Stop leak if safe to do so. Contain spillage, soak up with non-combustible absorbent material (e.g., sand, earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13). Shovel or sweep up. Never return spills to original containers for re-use. Keep in properly labeled containers. Keep in suitable closed containers for disposal.
Decontamination/cleaning	<ul style="list-style-type: none"> Wash non-recoverable remainder with large amounts of water. Clean contaminated surface thoroughly. Recover the cleaning water for subsequent disposal. Decontaminate tools, equipment and personal protective equipment in a segregated area.
Disposal	<ul style="list-style-type: none"> Dispose of in accordance with local regulations.
Additional advice	<ul style="list-style-type: none"> Material can create slippery conditions. For personal protection see section 8
6.4 References to other sections	
	7. Handling and Storage 8. Exposure Controls/Personal Protection



**WesBond Corporation
Safety Data Sheet**

Wesbond PS9400W

	13. Disposal Considerations.
--	------------------------------

Section 7. Handling and Storage	
7.1 Precautions for safe handling	
Technical measures	<ul style="list-style-type: none"> • Ethylene oxide may collect in container head space. • Provide adequate ventilation.
Advice on safe handling and usage	<ul style="list-style-type: none"> • Handle in accordance with good industrial hygiene and safety practice. • Avoid breathing vapors and mists. • Avoid direct or prolonged contact with skin and eyes. In cold weather, this product may stratify and freeze. This does not damage the product. If freezing occurs, thaw and remix before using. A hot water bath may be used to melt solidified material. Avoid localized overheating. Vent drums while heating. Mix thoroughly to assure homogeneity.
Hygiene measures	<p>Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material:</p> <ol style="list-style-type: none"> 1) Do not store, use and /or consume food, beverages, tobacco products, or cosmetics in areas where this material is stored. 2) Wash hand and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet. 3) Wash exposed skin promptly to remove accidental splashes or contact with material.
7.2 Conditions for safe storage, including any incompatibilities	
Requirement for storage areas and containers	Store in tightly closed containers. Store in an area that is dry, well-ventilated, away from incompatible materials (see Section 10. Stability and Reactivity).
Minimum/Maximum Storage Temperatures	15°F to 49°C (59°F to 120°F)
Usual Shipping Containers	Drums, pails.
Advice on common storage	No special restrictions on storage with other products
Storage and Handling Materials	Plastic or stainless steel.



**WesBond Corporation
Safety Data Sheet**

Wesbond PS9400W

Section 8. Exposure Controls/Personal Protection				
Introductory Remarks		<p>These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures should be handled in accordance with Section 13: Disposal Considerations.</p> <p>Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.</p>		
8.1 Control Parameters				
Component	CAS Number	Value	Control Parameters	Basis
Isodecyl Alcohol Ethoxylate	78330-20-8	None	None	PEL-OSHA
Isodecyl Alcohol Ethoxylate	78330-20-8	None	None	TLV-ACGIH
8.2 Exposure controls				
Engineering Controls				
		<p>Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures:</p> <p>Effective exhaust ventilation system.</p>		
8.3 Personal Protective Equipment				
Eyes	<ul style="list-style-type: none"> Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material. Eye contact should be prevented through use of chemical safety glasses with side shields or splash proof goggles. An emergency eye wash must be readily accessible to the work area. 			
Hand protection	<ul style="list-style-type: none"> Recommended preventive skin protection: Gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts and abrasion, and the contact time. 			
Skin	<ul style="list-style-type: none"> Impervious clothing. Footwear protecting against chemicals. 			
Respiratory Protection	<ul style="list-style-type: none"> When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate 			



**WesBond Corporation
Safety Data Sheet**

Wesbond PS9400W

	<p>regulatory standards and/or industrial recommendations.</p> <ul style="list-style-type: none"> For reasonably foreseeable industrial end uses of this material, respiratory protection should not be necessary.
Personal Hygiene	<p>Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material:</p> <ol style="list-style-type: none"> Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored. Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet. Wash exposed skin promptly to remove accidental splashes or contact with this material.
Protective measures	<ul style="list-style-type: none"> The protective equipment must be selected in accordance with current local standards and in cooperation with supplier of the protective equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Emergency equipment immediately accessible, with instructions for use. Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards and/or risks that may occur during use.
General Hygiene	<p>Equipment in contact with material should be rinsed with water prior to repair and maintenance.</p>

Section 9. Physical and Chemical Properties	
9.1 Information on basic physical and chemical properties	
Appearance:	Clear to cloudy thin liquid
Odor:	Slight odor.
Odor threshold:	Not Available
pH	6.0 to 9.0 (10 wt%) Aqueous solution
Melting/Freezing point	< 6°C (43°F).
Initial boiling point and boiling range	> 148°C (298°F) at 760 mmHg (1013 hPa)
Flash point:	> 93°C (200°F). Flammability Class: WILL BURN.
Evaporation Rate	no data available
Flammability (solid/gas)	no data available
Upper/lower flammability or explosive limits	no data available
Vapor pressure	< 0.01 mmHg (<0.0133 hPa) at 25°C (77°F)
Vapor density	no data available
Relative density	0.95 to 0.98 at 25°C (77°F)
Solubilities	Water: Miscible. Other solvents: Not Available.
Partition Coefficient: n-octanol/water	no data available



**WesBond Corporation
Safety Data Sheet**

Wesbond PS9400W

Auto-ignition temperature	no data available
Decomposition Temperature	no data available
Viscosity, Dynamic	no data available
Viscosity, Kinematic	no data available
Explosive Properties	no data available
Oxidizing Properties	Not classified as oxidizing.

9.2 Other Information

This safety datasheet contains only information relating to safety and does not replace any product information or product specification.

Section 10. Stability and Reactivity

10.1 Reactivity	no data available
10.2 Chemical Stability	This material is stable under normal handling and storage conditions described in Section 7.
10.3 Possibility Of Hazardous Reactions	No dangerous reaction known under conditions of normal use.
10.4 Conditions To Avoid	
Conditions to avoid	Heat. Open Flame. Spark.
10.5 Incompatible Materials	
Materials to avoid	Strong oxidizing agents.
10.6 Hazardous Decomposition Products	
Hazardous decomposition products	Oxides of carbon
Thermal decomposition	Will occur.

Section 11. Toxicological Information

11.1 Likely routes of exposure	
Inhalation	Inhalation not likely.
Skin	Likely mode of exposure.
Eyes	Likely mode of exposure.
Ingestion	Ingestion not likely.
11.2 Symptoms related to the physical, chemical and toxicological characteristics	
Inhalation	Mists may cause respiratory tract irritation.
Skin	Irritant. Can cause redness, irritation, inflammation, on prolonged contact.
Eyes	Severe irritant. Can cause redness, irritation..
Ingestion	Low acute oral toxicity. May cause nausea, diarrhea, abdominal cramps.



**WesBond Corporation
Safety Data Sheet**

Wesbond PS9400W

11.3 Immediate, delayed and chronic effects from short- and long-term exposure	
Chronic effects	This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogens.
11.4 Numerical measures of toxicity	
Acute Oral Toxicity	Toxicological Information and Interpretation: LD50 - lethal dose 50% of test species, 2.03 mg/kg, rat
Acute Inhalation Toxicity	No data available
Acute Dermal Toxicity	Not classified as harmful by contact with skin.
Acute Respiratory Irritation	No test data found for product
Acute Skin Irritation	Does not cause skin sensitization.
Acute Eye Irritation	Toxicological Information and Interpretation: eye - eye irritation, rabbit. Severely irritating
11.5 Carcinogenicity	
	This product does not contain any ingredient designated as probable or suspected human carcinogens by: NTP, IARC, OSHA, ACGIH

Section 12. Ecological Information	
12.1 Ecotoxicity	
Aquatic Compartment	Acute toxicity to fish: LC50 – 96h: 8.5 mg/l – Oncorhynchus mykiss (rainbow trout). Published data.
Ecotoxicity assessment	<ul style="list-style-type: none"> Acute aquatic toxicity: Harmful to aquatic life. Chronic aquatic toxicity: does not have any known long term adverse effects on the aquatic organisms tested.
12.2 Persistence and degradability	
Biodegradability	The material fulfills the criteria for ultimate aerobic biodegradability and ready biodegradability.
12.3 Bioaccumulative potential	
Partition coefficient: n-octanol/water	No applicable, surface-active.
12.4 Mobility in soil	
Known distribution to environmental compartments	<ul style="list-style-type: none"> Ultimate destination of the material: water. Ultimate destination of the material: sediment
12.5 Results of PBT and vPvB assessment	
Results of PBT and vPvB assessment	<ul style="list-style-type: none"> This material is not considered to be persistent, bioaccumulating, and toxic (PBT). This material is not considered to be very persistent and very bioaccumulating (vPvB).
12.6 Other Adverse Effects	No data available



**WesBond Corporation
Safety Data Sheet**

Wesbond PS9400W

Section 13. Disposal Considerations	
13.1 Waste Disposal Method	
Advice on disposal	Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.
Waste Code	EPA: hazardous waste: NO
13.2 Contaminated packaging	
Advice	<ul style="list-style-type: none"> Any containers or equipment used should be decontaminated immediately after use. Empty container should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport Information	
14.1 UN number	Not applicable
14.2 Proper shipping name	Not regulated
14.3 Transport hazard class	Not classified as dangerous for transport.
14.4 Packing group	Not applicable
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	Not applicable

Section 15. Regulatory Information	
15.1 Safety, health and environmental regulations/legislation specific for the substance.	
U.S. TSCA	<ul style="list-style-type: none"> y (positive listing) On TSCA Inventory
Canadian Domestic substances List (DSL)	<ul style="list-style-type: none"> y (positive listing) All components of this material are on the Canadian DSL
Australia Inventory of	<ul style="list-style-type: none"> y (positive listing)



**WesBond Corporation
Safety Data Sheet**

Wesbond PS9400W

Chemical Substances (AICS)	<ul style="list-style-type: none"> On the inventory, or in compliance with the inventory
Japan: CSCL – Inventory of Existing and New chemical Substances	<ul style="list-style-type: none"> y (positive listing) On the inventory, or in compliance with the inventory
Korea: Korean Existing Chemicals Inventory (KECI)	<ul style="list-style-type: none"> y (positive listing) On the inventory, or in compliance with the inventory
China: Inventory of Existing Chemical Substances in China (IECSC)	<ul style="list-style-type: none"> y (positive listing) On the inventory, or in compliance with the inventory
15.2 US Federal Regulations	
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 311/312	<ul style="list-style-type: none"> Fire Hazard: NO Reactivity Hazard: NO Sudden Release of Pressure Hazard: NO Acute Health Hazard: YES Chronic Health Hazard: NO
SARA 313	No information.
EPCRA – Emergency Planning and Community Right-To-Know	CERCLA
CERCLA Reportable Quantity	<ul style="list-style-type: none"> Ethylene Oxide – 75-21-8 – 10 lb 1,4-Dioxane – 123-91-1 – 100 lb Acetaldehyde – 75-07-0 – 1000 lb
SARA 302 Reportable Quantity	<ul style="list-style-type: none"> Ethylene Oxide – 75-21-8 – 10 lb
SARA 304 Reportable Quantity	<ul style="list-style-type: none"> Ethylene Oxide – 75-21-8 – 10 lb
15.3 State Regulations	
California Proposition 65	<ul style="list-style-type: none"> This material contains chemicals known to the State of California to cause cancer - ethylene oxide, dioxane, acetaldehyde. This material contains chemicals known to the State of California to cause birth defects or other reproductive harm: ethylene oxide. No Significant Risk Levels (NSRL) have been established for the following: Acetaldehyde: 90 micrograms/day, inhalation; 1,4-dioxane: 30 micrograms/day; ethylene oxide: 2 micrograms/day.

Section 16. Other Information	
HMIS – National Paint & Coating Hazardous Materials Identification System	
2	Health Hazard Rating - Moderate
1	Flammability Rating – Slight
0	Reactivity Rating - Minimal
B	Personal Protection – Safety Glasses, Gloves



**WesBond Corporation
Safety Data Sheet**

Wesbond PS9400W

NFPA – National Fire Protection Association Hazard Ratings	
2	Health Hazard Rating - Moderate
1	Flammability Rating – Slight
0	Instability Rating - Minimal

Abbreviations			
ACGIH	American Conference of Governmental Industrial Hygienists	NIOSH	National Institute for Occupational Safety and Health
CAS	Chemical Abstract Service	OSHA	Occupational Safety and Health Administration
HMS	National Paint & Coating Hazardous Materials Identification System	SARA	Superfund Amendment and Reauthorization Act
IARC	International Agency for Research on Cancer	PEL	Permissible Exposure Limit
N/A	Not Applicable	TLV	Threshold Limit Value
NFPA	National Fire Protection Association Hazard Ratings	TWA	Time Weighted Average

The information on this safety data sheet is believed to be accurate and it is the best information available to WesBond Corporation. This document is intended only as a guide to the appropriate precautions for handling a chemical by a person trained in chemical handling. WesBond Corporation makes no warranty of merchantability or any other warranty, express or implied with respect to such information of the product to which it relates, and we assume no liability resulting from the use or handling of the product to which this safety data sheet relates. Users and handlers of this product should make their own investigations to determine the suitability of the information provided herein for their own purposes.