



**WesBond Corporation  
Safety Data Sheet**

**Wesil CS**

Revision Date: 04/19/2024	Supersedes: 12/14/2020	First Issued: 01/01/1999
---------------------------	------------------------	--------------------------


**Section 1. Product and Company Identification**

<b>1.1 Product Identifier</b>	
Trade Name	<b>Wesil CS</b>
Product Description and Use	Inorganic ceramic binders
<b>1.2 Relevant identified uses of the substance and restrictions on use</b>	
Use of the substance	Binder for Refractory Fiber Bonding
<b>1.3 Details of the supplier of the safety data sheet</b>	
Company	Wesbond Corporation 1135 East 7 <sup>th</sup> St Wilmington, DE 19801
Telephone	302-655-7917
Fax	302-656-7885
E-mail address	<a href="mailto:sales@wesbond.com">sales@wesbond.com</a>
Web site	<a href="http://www.wesbond.com">www.wesbond.com</a>
Contact	Wes M Jones
Approved by	Wes M Jones
<b>1.4 Emergency telephone number</b>	
US – CHEMTREC (24 hrs)	800-424-9300
CANADA – CANUTEC (24 hrs)	613-996-6666
MSDS and Product Information (0800 – 1630 EST)	302-655-7917



**WesBond Corporation  
Safety Data Sheet**

**Wesil CS**

<b>Section 2. Hazard Identification</b>	
<b>2.1 Classification of the substance</b>	
Carcinogenicity	Category 1A
Specific target organ toxicity - repeated exposure (Inhalation)	Category 1 (Lungs)
Specific target organ toxicity - repeated exposure (Inhalation)	Category 2 (Immune system, Kidney)
<b>2.2 Label elements</b>	
<b>Signal Word</b>	<b>Danger</b>
<b>Pictogram</b>	
<b>Hazard statements</b>	
H350	May cause cancer.
H372	Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.
H373	May cause damage to organs (Immune system, Kidney) through prolonged or repeated exposure if inhaled.
<b>Precautionary Statements</b>	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dusts.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents /container in accordance with local/regional/national/international regulations.
<b>2.3 Other hazards</b>	
Hazards Not Otherwise Classified	No hazards to be specially mentioned.



**WesBond Corporation  
Safety Data Sheet**

**Wesil CS**

<b>Section 3. Composition / Information on Ingredients</b>		
<b>3.1 Substance</b>		
Not applicable, this product is a mixture		
<b>3.2 For Mixtures</b>		
<b>Component</b>	<b>CAS Number</b>	<b>Concentration (wt %)</b>
Magnesium Aluminum Silicate	Proprietary	50 - 70%
Crystalline silica, quartz	14806-60-7	2 - 6%
Magnesium oxide	01309-48-4	<2%
Cationic starch ether	56780-58-6	25 – 40%
Proprietary metal salt		<2%
The specific chemical identity and/or exact percentage (concentration) has been withheld as a trade secret.		

<b>Section 4. First Aid Measures</b>	
<b>4.1 Description of first aid measures</b>	
<b>General Advice</b>	<ul style="list-style-type: none"> <li>• Show this safety datasheet to the doctor in attendance.</li> <li>• First responder needs to protect herself..</li> </ul>
<b>INHALATION</b>	<ul style="list-style-type: none"> <li>• If exposed to excessive levels of dust or fumes, remove to fresh air and get medical attention. Get medical attention if cough and other symptoms develop. If you feel unwell, seek medical advice (show the label where possible).</li> </ul>
<b>SKIN</b>	<ul style="list-style-type: none"> <li>• Wash with water, use skin cream if necessary.</li> <li>• Remove all contaminated clothing, and launder before reuse.</li> </ul>
<b>EYES</b>	<ul style="list-style-type: none"> <li>• Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.</li> <li>• Seek medical advice.</li> </ul>
<b>INGESTION</b>	<ul style="list-style-type: none"> <li>• Immediately rinse mouth with water. Finally drink water.</li> <li>• If necessary seek medical attention.</li> </ul>
<b>4.2 Most important symptoms and effects, both acute and delayed</b>	
Medical Conditions Possibly Aggravated By Exposure	<ul style="list-style-type: none"> <li>• Skin contact may aggravate existing skin disease.</li> </ul>
<b>4.3 Indication of any immediate medical attention and special treatment needed</b>	
Notes to physician	<ul style="list-style-type: none"> <li>• All treatments should be based on observed signs and symptoms of distress in the patient.</li> <li>• Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.</li> <li>• Treat symptomatically. No specific antidote available.</li> </ul>



**WesBond Corporation  
Safety Data Sheet**

**Wesil CS**

<b>Section 5. Fire Fighting Measures</b>	
<b>5.1 Extinguishing Media</b>	
Suitable extinguishing media	Any. Use media appropriate for surrounding fire.
Unsuitable extinguishing media	None.
<b>5.2 Special hazards arising from the substance or mixture</b>	
Specific hazards during firefighting/ Specific hazards arising from the chemical	Product will not burn, not explosive.
<b>5.3 Advice for firefighters</b>	
Special protective equipment for firefighters	Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.
Further information	None.

<b>Section 6. Accidental Release Measures</b>	
<b>6.1 Personal precautions, protective equipment and emergency procedures</b>	
Personal precautions, protective equipment and emergency procedures	<ul style="list-style-type: none"> <li>• Wear appropriate protective gear for the situation.</li> <li>• For further information see Personal Protection information in Section 8.</li> </ul>
<b>6.2 Environmental precautions</b>	
Environmental and Regulatory Reporting	<ul style="list-style-type: none"> <li>• Do not flush to drain.</li> <li>• Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.</li> </ul>
<b>6.3 Methods and materials for containment and cleaning up</b>	
Recovery	<ul style="list-style-type: none"> <li>• Contain spillage and scoop up or vacuum. Do not use cleaning method that will generate dust that will exceed the PEL. .</li> <li>• Transfer to a container for disposal according to local/national regulations (see section 13).</li> <li>• Never return spills to original containers for re-use.</li> <li>• Keep in suitable closed containers for disposal.</li> </ul>
Decontamination/cleaning	<ul style="list-style-type: none"> <li>• Clean contaminated surface thoroughly.</li> <li>• Decontaminate tools, equipment and personal protective equipment in a segregated area.</li> <li>• Do not use compressed for cleanup.</li> <li>• Do not use water for cleanup – possible slip hazard.</li> </ul>
Disposal	<ul style="list-style-type: none"> <li>• Dispose of in accordance with local regulations.</li> </ul>
Additional advice	<ul style="list-style-type: none"> <li>• Material can create slippery conditions when wet.</li> </ul>



**WesBond Corporation  
Safety Data Sheet**

**Wesil CS**

	<ul style="list-style-type: none"> <li>• For personal protection see section 8.</li> </ul>
<b>6.4 References to other sections</b>	
	7. Handling and Storage 8. Exposure Controls/Personal Protection 13. Disposal Considerations.

<b>Section 7. Handling and Storage</b>	
<b>7.1 Precautions for safe handling</b>	
Technical measures	<ul style="list-style-type: none"> <li>• Provide adequate ventilation.</li> </ul>
Advice on safe handling and usage	<ul style="list-style-type: none"> <li>• Handle in accordance with good industrial hygiene and safety practice.</li> <li>• Avoid breathing dusts.</li> <li>• Avoid direct or prolonged contact with skin and eyes.</li> </ul>
Hygiene measures	Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: <ol style="list-style-type: none"> <li>1) Do not store, use and /or consume food, beverages, tobacco products, or cosmetics in areas where this material is stored.</li> <li>2) Wash hand and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.</li> <li>3) Wash exposed skin promptly to remove accidental splashes or contact with material.</li> </ol>
<b>7.2 Conditions for safe storage, including any incompatibilities</b>	
Requirement for storage areas and containers	Store in tightly closed containers. Store in an area that is dry, well-ventilated, away from incompatible materials (see Section 10. Stability and Reactivity).
Minimum/Maximum Storage Temperatures	Ambient.
Usual Shipping Containers	Fiber drums.
Advice on common storage	No special restrictions on storage with other products
Storage and Handling Materials	Plastic lined fiber drums.



**WesBond Corporation  
Safety Data Sheet**

**Wesil CS**

**Section 8. Exposure Controls/Personal Protection**

Introductory Remarks	<p>These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures should be handled in accordance with Section 13: Disposal Considerations.</p> <p>Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.</p>
----------------------	---

**8.1 Control Parameters**

Component	CAS Number	Value	Control parameters / Permissible concentration	Basis
Quartz	14806-60-7	TWA (Respirable dust)	0.05 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Respirable)	10 mg/m <sup>3</sup> / %SiO <sub>2</sub> +2	OSHA Z-3
		TWA (Respirable)	250 mppcf / %SiO <sub>2</sub> +5	OSHA Z-3
		TWA (Respirable dust fraction)	0.1 mg/m <sup>3</sup>	OSHA PO
		TWA (Respirable Particulate matter)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m <sup>3</sup> (Silica)	NIOSH REL
Magnesium Oxide	01309-48-4	PEL(respirable)	0.05 mg/m <sup>3</sup>	OSHA CARC
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (fume, total particulate)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (fume – total particulate)	10 mg/m <sup>3</sup>	OSHA PO

**8.2 Exposure controls**

<b>Engineering Controls</b>	
	<p>Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures:</p> <p>A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational Exposure Limits (OEL).</p>



**WesBond Corporation  
Safety Data Sheet**

**Wesil CS**

<b>8.3 Personal Protective Equipment</b>	
<b>Eyes</b>	<ul style="list-style-type: none"> <li>• Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.</li> <li>• Eye contact should be prevented through use of chemical safety glasses with side shields or splash proof goggles. An emergency eye wash must be readily accessible to the work area.</li> </ul>
<b>Hand protection</b>	<ul style="list-style-type: none"> <li>• Recommended preventive skin protection: Gloves.</li> <li>• Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts and abrasion, and the contact time.</li> </ul>
<b>Skin</b>	<ul style="list-style-type: none"> <li>• Impervious clothing.</li> <li>• Footwear protecting against chemicals.</li> </ul>
<b>Respiratory Protection</b>	<ul style="list-style-type: none"> <li>• When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.</li> <li>• For reasonably foreseeable industrial end uses of this material, respiratory protection should not be necessary.</li> </ul>
<b>Personal Hygiene</b>	<p>Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material:</p> <ol style="list-style-type: none"> <li>(1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.</li> <li>(2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.</li> <li>(3) Wash exposed skin promptly to remove accidental splashes or contact with this material.</li> </ol>
<b>Protective measures</b>	<ul style="list-style-type: none"> <li>• The protective equipment must be selected in accordance with current local standards and in cooperation with supplier of the protective equipment.</li> <li>• Ensure that eyewash stations and safety showers are close to the workstation location.</li> <li>• Emergency equipment immediately accessible, with instructions for use.</li> <li>• Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards and/or risks that may occur during use.</li> </ul>
<b>General Hygiene</b>	<p>Equipment in contact with material should be rinsed with water prior to repair and maintenance.</p>



**WesBond Corporation  
Safety Data Sheet**

**Wesil CS**

**Section 9. Physical and Chemical Properties**

**9.1 Information on basic physical and chemical properties**

Appearance:	Tan powder
Odor:	Slight amine odor.
Odor threshold:	No data available
pH (5% in water)	6 - 8
Melting/Freezing point	n/a
Initial boiling point and boiling range	No data available
Flash point:	n/a
Evaporation Rate	No data available
Flammability (solid/gas)	Nonflammable.
Upper/lower flammability or explosive limits	Nonflammable.
Vapor pressure	No data available
Vapor density	No data available
Relative density	~2.2 at 25 °C (77 °F)
Solubilities	No data available
Partition Coefficient: n-octanol/water	no data available
Auto-ignition temperature	no data available
Decomposition Temperature	no data available
Viscosity, Dynamic	no data available
Viscosity, Kinematic	no data available
Explosive Properties	no data available
Oxidizing Properties	Not classified as oxidizing.

**9.2 Other Information**

This safety datasheet contains only information relating to safety and does not replace any product information or product specification.

**Section 10. Stability and Reactivity**

<b>10.1 Reactivity</b>	Stable under recommended storage conditions.
<b>10.2 Chemical Stability</b>	This material is stable under normal handling and storage conditions described in Section 7.
<b>10.3 Possibility Of Hazardous Reactions</b>	No dangerous reaction known under conditions of normal use.
<b>10.4 Conditions To Avoid</b>	
Conditions to avoid	Forms slippery/greasy layers with water.
<b>10.5 Incompatible Materials</b>	
Materials to avoid	None.





**WesBond Corporation  
Safety Data Sheet**

**Wesil CS**

<b>10.6 Hazardous Decomposition Products</b>	
Hazardous decomposition products	None.
Thermal decomposition	Will not occur.

<b>Section 11. Toxicological Information</b>	
<b>11.1 Likely routes of exposure</b>	
Inhalation	Likely mode of exposure.
Skin	Likely mode of exposure.
Eyes	Likely mode of exposure.
Ingestion	Ingestion not likely.
<b>11.2 Symptoms related to the physical, chemical and toxicological characteristics</b>	
Inhalation	None.
Skin	Irritant. Can cause redness, irritation, inflammation, on prolonged contact.
Eyes	Irritant. Can cause redness, irritation..
Ingestion	None.
<b>11.3 Immediate, delayed and chronic effects from short- and long-term exposure</b>	
Chronic effects	Information on: crystalline silica, assessment of repeated dose toxicity: This product may contain greater than 0.1% crystalline silica. Repeated exposure to high concentrations results in silicosis, a lung disease characterized by coughing, difficult breathing, wheezing, scarring of the lungs, and repeated, non-specific chest illnesses.
<b>11.4 Numerical measures of toxicity</b>	
Acute Oral Toxicity	No data available
Acute Inhalation Toxicity	No data available
Acute Dermal Toxicity	Not classified as harmful by contact with skin.
Acute Respiratory Irritation	No test data found for product
Acute Skin Irritation	Does not cause skin sensitization.
Acute Eye Irritation	No data available.
<b>11.5 Carcinogenicity</b>	
	Information on: crystalline silica The International Agency for Research on Cancer (IARC) has classified this substance as a Group 1 (known) human carcinogen.

<b>Section 12. Ecological Information</b>	
<b>12.1 Ecotoxicity</b>	
Aquatic Compartment	No data available
Ecotoxicity assessment	No data available



**WesBond Corporation  
Safety Data Sheet**

**Wesil CS**

<b>12.2 Persistence and degradability</b>	
Biodegradability	No data available
<b>12.3 Bioaccumulative potential</b>	
Partition coefficient: n-octanol/water	No data available.
<b>12.4 Mobility in soil</b>	
Known distribution to environmental compartments	No data available
<b>12.5 Results of PBT and vPvB assessment</b>	
Results of PBT and vPvB assessment	No data available.
<b>12.6 Other Adverse Effects</b>	No data available

<b>Section 13. Disposal Considerations</b>	
<b>13.1 Waste Disposal Method</b>	
Advice on disposal	Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.
Waste Code	EPA: hazardous waste: NO
<b>13.2 Contaminated packaging</b>	
Advice	<ul style="list-style-type: none"> <li>Any containers or equipment used should be decontaminated immediately after use.</li> <li>Empty container should be taken to an approved waste handling site for recycling or disposal.</li> </ul>

<b>Section 14. Transport Information</b>	
<b>14.1 UN number</b>	Not applicable
<b>14.2 Proper shipping name</b>	Not regulated
<b>14.3 Transport hazard class</b>	Not classified as dangerous for transport.
<b>14.4 Packing group</b>	Not applicable
<b>14.5 Environmental hazards</b>	Not applicable
<b>14.6 Special precautions for user</b>	Not applicable



**WesBond Corporation  
Safety Data Sheet**

**Wesil CS**

<b>Section 15. Regulatory Information</b>	
<b>15.1 Safety, health and environmental regulations/legislation specific for the substance.</b>	
U.S. TSCA	On TSCA Inventory
Canadian Domestic substances List (DSL)	All components of this material are on the Canadian DSL
<b>15.2 US Federal Regulations</b>	
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 311/312	Chronic health hazard.
SARA 313	Not subject to SARA 313.
EPCRA – Emergency Planning and Community Right-To-Know	CERCLA
CERCLA Reportable Quantity	None.
SARA 302 Reportable Quantity	None.
SARA 304 Reportable Quantity	None.
<b>15.3 State Regulations</b>	
California Proposition 65	This product contains chemicals known to the State of California to cause cancer.

<b>Section 16. Other Information</b>	
<b>HMIS – National Paint &amp; Coating Hazardous Materials Identification System</b>	
<b>1</b>	Health Hazard Rating - Slight
<b>0</b>	Flammability Rating – Minimal
<b>0</b>	Reactivity Rating - Minimal
<b>B</b>	Personal Protection – Safety Glasses, Gloves
<b>NFPA – National Fire Protection Association Hazard Ratings</b>	
<b>1</b>	Health Hazard Rating - Slight
<b>0</b>	Flammability Rating – Minimal
<b>0</b>	Instability Rating - Minimal

<b>Abbreviations</b>			
<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists	<b>OSHA</b>	Occupational Safety and Health Administration
<b>CAS</b>	Chemical Abstract Service	<b>SARA</b>	Superfund Amendment and Reauthorization Act



**WesBond Corporation  
Safety Data Sheet**

**Wesil CS**

<b>HMIS</b>	National Paint & Coating Hazardous Materials Identification System	<b>PEL</b>	Permissible Exposure Limit
<b>IARC</b>	International Agency for Research on Cancer	<b>TLV</b>	Threshold Limit Value
<b>N/A</b>	Not Applicable	<b>TWA</b>	Time Weighted Average
<b>NFPA</b>	National Fire Protection Association Hazard Ratings	<b>OSHA PO</b>	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
<b>NIOSH</b>	National Institute for Occupational Safety and Health	<b>OSHA Z-1</b>	8-hour time weighted average
<b>OSHA CARC</b>	OSHA Specifically Regulated Chemicals. Carcinogens	<b>OSHA Z-3</b>	8-hour time weighted average

**The information on this safety data sheet is believed to be accurate and it is the best information available to WesBond Corporation. This document is intended only as a guide to the appropriate precautions for handling a chemical by a person trained in chemical handling. WesBond Corporation makes no warranty of merchantability or any other warranty, express or implied with respect to such information of the product to which it relates, and we assume no liability resulting from the use or handling of the product to which this safety data sheet relates. Users and handlers of this product should make their own investigations to determine the suitability of the information provided herein for their own purposes.**